(CREAM)

## **Product information**

## [Drug Facts]



😮 <kyowa-Gifu-Japan >

For resource saving the case is combined with the Japanese instruction written on the package case. Be sure to read the instruction carefully before use. Also, please keep it in a safe place so that you can read again, when you need it.

### Skin Disease Treatment Class 2 drugs FRICREA CREAM

···· Please use for these symptoms····

- Itching during menstruation
- Itching by vaginal discharge
- Itching due to sweat wetting
- Underwear rash
- Itching around the genital area
- Other inflammation, itching, rash, etc.

Let's suppress itching quickly with FRICREA CREAM for these symptoms.

#### Active ingredients (in 100g)

Lidocaine 2.0g·····

Tocopherol acetate 0.3g·····

Diphenhydramine hydrochloride 2.0g ...

Isopropyl methyl phenol 0.1g·····

Purpose

Anti-Itching ingredient

Blood circulation promoting

ingredients

Antihistamine action

Bactericidal ingredient

### Uses

Itching, Rash, Eczema, Insect bite, Dermatitis, Hives, Heat rash. Sores and Chilblains.

## Warnings

Itching caused by candidiasis, trichomoniasis, etc. requires radical treatment by a doctor.

### [To be avoided]

(Failure to observe the following may result in the current symptoms worsening or adverse reactions occurring.)

- 1. Do not use this medicine for the next person: If you suffer from candidiasis.
- 2. Please do not use for the next part: Around eyes, Mucous membranes etc.

## [Consultation]

- 1. The following persons should consult a doctor, pharmacist, or registered distributor before using this medicine.
- (1) A person undergoing medical treatment from a doctor.
- (2) A pregnant woman or a woman suspected of being pregnant.
- (3) A person with a medical history of being allergic to medicines and other substances.
- (5) A person with wet or awful sore on the affected part.
- (5) Infants.
- 2. The following symptoms may be adverse reactions to this medicine. If any of these symptoms occur, stop the use immediately and consult a doctor, pharmacist, or registered distributor with the Japanese instructions written on this package case.

Related area	Symptoms
Skin	Rash, redness, itching, swelling.

3. The following symptoms may appear after using it, so if such symptoms persist or increase. Please stop using it and bring the Japanese instructions written on the package case, consult a doctor, pharmacist or registered distributor.

#### **Directions**

Apply an appropriate amount to the affected area several times a day.

### [When using this product]

- (1) Please do not use while the affected area or its surroundings are dirty.
- (2) If you want to use it for children, please use under the supervision of parents.
- (3) Please be careful not to get into eyes. If it gets in your eyes, please wash immediately with water or lukewarm water. If the symptoms are severe, please consult an eye doctor.
- (4) Please use only for external treatment.
- (5) Please avoid using other external products at the same affected area.

### Other information

(1) Store in a cool and dry with less humidity place free from direct sunlight by a seal tightly.

- (2) Keep it out of reach of children.
- (3) Do not transfer this medicine to a different container. (In this case, cause misuse or change quality.)
- (4) Please do not use products that have passed the expiration date.

Inactive ingredients:

Glyceryl monostearate, Polysorbate 60, Polyoxyethylene hydrogenated castor oil, Parabens, Stearyl alcohol, Cetanol, Propylene glycol, Carboxyvinyl polymer, Diethyl sebacate, Triethanolamine.

#### Questions or comments

If you have any suggestions about this product, please contact the shop you purchased or the following address.

Reception time 9:00~12:00 • 13:00~17:00 (Excluding weekends and holidays)

# [Kequest of limited correspondence]

<Kyowa-Gifu-Japan>

- (1) In case of telephone consultation, please only in Japanese for a while.
- (2) The latest Japanese package insert is available on the website of Kyowa Pharmaceutical Co., Ltd. (www.kyowa-ci.co.jp).

#### Disclaimer statement

- (1) We use a format similar to the FDA OTC Drug Regulations, but this is not an OTC Drug approved under the FDA. Please note that it is licensed for domestic use in accordance with the Pharmaceutical Affairs Law of Japan.
- (2) This English translation was created by a manufacturer and distributor, but Japanese is a correct sentence and it should be as a reference material. In the case of any discrepancy between the two versions, the original Japanese version prevails.
- (3) The provider of this translation shall not be responsible for any damage that may be attributed to the use of the translation.
- (4) Do not use for commercial purpose reproduction, publication etc. of this English translation.
- (5) Although the English translation is prepared on the basis of the Japanese version of the attached document on the Revised date, the attached document is revised from time to time, so the English translation may not be the latest.